

Mandatory Public Disclosure

A: GENERAL INFORMATION:

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	JAWAHAR NAVODAYA VIDYALAYA-KEVADIYA COLONY, DIST-NARMADA
2	AFFILIATION NO.(IF APPLICABLE)	440023
3	SCHOOL CODE(IF APPLICABLE)	14052
4	COMPLETE ADDRESS WITH PIN CODE	JAWAHAR NAVODAYA VIDYALAYA AT.PO- KEVADIYA COLONY TA-GARUDESHWAR DIST-NARMADA-393 151 (GUJARAT)
5	PRINCIPAL NAME & QUALIFICATION:	SHEPHALISINGH MA, BED
6	SCHOOL EMAIL ID	jnvnarmada@gmail.com
7	CONTACT DETAILS (LAND LINE/ MOBILE)	Mobile No. 9754776447 (O) 02640- 296145

B: DOCUMENTS AND INFORMATION:

SL NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	COPIES OF AFFILIATION/ UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	we have paid Rs.50,000/- for extension of affiliation for Ten Years (i.e.01/04/2021 to 31/03/2031) through TRGS/NEFT. Application id:GE072021221440023 Beneficiary A/c No: CBSEEXGE072021221440023
2	COPIES OF SOCIETIES/ TRUST/ COMPANY REGISTRATION/ RENEWAL CERTIFICATE, AS APPLICABLE	LINK ATTACHED IN OUR VIDYALAYA WEB SITE
3	COPY OF NO OBJECTION CERTIFICATE (NOC ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	NA
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT,2009,AND IT'S RENEWAL IF APPLICABLE	NA

5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	LINK ATTACHED IN OUR VIDYALAYA WEB SITE
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	NA
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATION OR SELF CERTIFICATION BY SCHOOL	N.A.
8	COPIES OF VALID WATER,HEALTH AND SANITATION CERTIFICATES	LINK ATTACHED IN OUR VIDYALAYA WEB SITE

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMENTS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOLS SHALL BE LIABLE FOR ACTION AS PER NORMS.

C: RESULT AND ACADEMICS:

S.NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	FEE STRUCTURE OF THE SCHOOL	CLASS-VI TO VIII- N.A CLASS-IX TO XII – 1) RS.600/- per month for boys under Gen. category only (Except BPL) 2) RS.1500/- per month for wards of Govt. Employee for boys under Gen. category only (Except BPL)
2	ANNUAL ACADEMIC CALANDER.	Yes -Visit Annual Academic Calander Web page.
3	LIST OF SCHOOL MANAGEMENT COMMITTEE(SMC)	Yes -Visit Vidyalaya Management Committee Web page.
4	LIST OF PARENTS TEACHERS ASSOCIATION(PTA) MEMBERS	Yes – Visit Parents Teachers Association (PTC) members Web page.
5	LASTTHREE- YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	Yes – Last three three years result is given below

RESULT CLASS:X

S.NO.	YEAR	NO.OF REGISTERED STUDENTS	NO.OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2017-2018	45	39	86.70 %	
2	2018-2019	30	22	73.33 %	
3	2019-2020	40	40	100%	

RESULT CLASS:XII

S.NO.	YEAR	NO.OF REGISTERED STUDENTS	NO.OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2017-2018	00	NA	NA	
2	2018-2019	00	NA	NA	
3	2019-2020	00	NA	NA	

D: STAFF (TEACHING)

S.NO.	INFORMATION	DETAILS
1	PRINCIPAL	01
2	TOTAL NO. OF TEACHERS	15
	○ PGT	05
	○ TGT	10
	○ PRT	00
3	TEACHERS SECTION RATIO	N.A.
4	DETAILS OF SPECIAL EDUCATOR	00
5	DETAILS OF COUNSELLOR AND WELNESS TEACHER	00

E: **SCHOOL INFRASTRUCTURE:**

S.NO.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	Vidyalaya Functioning in Temp. Site
2	NO.AND SIZE OF THE CLASSROOMS (IN SQFT/MTR)	Vidyalaya Functioning in Temp. Site.
3	NO.AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	01 Computer Lab/ Samsung Smart Class
4	INTERNET FACILITY(Y/N)	YES
5	NO.OF GIRLS TOILETS	05
6	NO.OF BOYS TOILETS	05
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	After the inspection from NVS,RO, Pune the Video will be uploaded for the session 2021-22

CERTIFICATE OF REGISTRATION

SOCIETIES ACT XXI OF 1860

No. S/10428


Of 1989

I hereby certify that Navodaya Vidyalaya Samiti has been registered under the **SOCIETIES REGISTRATION ACT XXI OF 1860**.

GIVEN UNDER BY HAND AT DELHI on this 28th day of Feb., 86.

REGISTRATION FEE OF RS. 50/- PAID.




**REGISTRAR OF SOCIETIES
DELHI ADMN., DELHI**

**REGISTRAR OF SOCIETIES
DELHI**

જા.નં. પીબી / ૫૫૨ /૨૦૨૧,
નાયબ કાર્યપાલક ઇજનેરશ્રીની કચેરી,
બાંધકામ (મા.મ.) પેટા વિભાગ,
કરજણ કોલોની ની સામે, રાજપીપલા,
તા. ૨૭/ ૦૭ /૨૦૨૧.

પ્રતિ,
પ્રાચાર્યશ્રી,
જવાહર નવોદય વિદ્યાલય,
કેવડીયા કોલોની,
જી: નર્મદા

વિષય :- બિલ્ડીંગના સુરક્ષા સલામતીનું પ્રમાણપત્ર આપવા બાબત

સંદર્ભ:- (૧) આપની કચેરી નાં પત્ર ક્રમાંક:CBSE/JNV-NRD/2021-22/04 તા.૦૬/૦૭/૨૦૨૧

ઉપરોક્ત વિષયના અનુસંધાનમાં જણાવવાનું કે, કેવડીયા કોલોની ખાતે આવેલ જવાહર નવોદય વિદ્યાલય હાલ કામચલાઉ બિલ્ડીંગ તરીકે ચલાવવામાં આવે છે. સદર મકાન સરદાર સરોવરની માલિકીનું દ્વારા આપેલ છે તથા મકાન જુનું હોય. સદર બિલ્ડીંગની ભૈતિક ચકાસણી અને નિરીક્ષણ કરવા આપશ્રીનાં સંદર્ભ પત્રથી જણાવેલ. જે બાબતે જણાવવાનું કે પ્રાથમિક દ્રષ્ટીએ જોતા સદરહું બિલ્ડીંગ ભયજનક જણાતું નથી તેમજ કોઈ નુકશાન જણાતું નથી. વધુમાં સદર બિલ્ડીંગનાં બારી દરવાજા તથા બારીની ગ્રીલ ને બદલવાની જરૂરી જણાય છે.

નાયબ કાર્યપાલક ઇજનેર,
બાંધકામ (મા. અને મ.) પેટા વિભાગ,
રાજપીપલા.

નકલ રવાના :- પ્રતિ, કાર્યપાલક ઇજનેરશ્રી , રાજપીપલા (મા.મ) વિભાગ, રાજપીપલા તરફ જાણ સારૂ.



DISTRICT LABORATORY
RAJPIPLA, Gujarat Water
Supply And Sewerage
Board, The Ex. Eng, 2nd
Floor, Karjan Jalasay
Sankul, Nr. Gadhi Chowk,
Rajpipla-393145 Ph-(02640)-
222212



E mail :
narmadalebgsbb@gmail.com

DL/7.8/F-01

જિલ્લા પ્રયોગશાળા રાજપીપલા,
ગુ.પા.મુ.અનેગ.વ્ય.બોર્ડ, કાર્યપાલક
ઘજનેર, બીજો માળ, કરજણ જળાશય
સંકુલ, ગાંધી ચોક પાસે, રાજપીપલા-
૩૯૩૧૪૫, ફોન-(૦૨૬૪૦)૨૨૨૨૧૨

Test Report

Name & Address of Customer:-

Shefali Singh
Principal
Jawahar Navodaya Vidyalaya
Kevadia Colony
Dist-Narmada

Customer Reference No. :

F.N./ Water Analysis/ JNV-
NRD/ 2021-22/05 Date
03/07/2021

Sample Submitted by :

Sender

Date of Sample Receipt :

05/07/21

Analysis Starting Date :

05/07/21

Analysis completion Date :

05/07/21

ULR No :

Discipline : Chemical Testing, Group: Water

Test Report No:	301/2021-22	Date of Issue :	06/07/21
Sample ID :	RCW-301/07-'21	Mode of Sample :	Satisfactory
Main Source :	Bore Water	Source :	Bore Water
Location :	Bore Water, Jawahar Navodaya Vidyalaya		
Village :	Kevadia	Habitatation :	Kevadia
Taluka :	Garudeshwar	District :	Narmada
Latitude :	--	Longitude :	--
Kindly find herewith the Analytical Results.		Sample Type :	Drinking Water

Sr. No.	Parameter	Unit	Value as per IS 10500 : 2012 [2 nd Revision]		Reference Method :	Analytical Value
			Requirement (Acceptable Limit) Max.	Permissible Limit in the Absence of Alternate Source Max.		
1	Colour	Hazen	5	15	APHA (23 rd Ed 2017), Method: 2120 C	<1
2	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5) - 2018 (Second Revision)	Agreeable
3	Taste	-	Agreeable	Agreeable	IS 3025 (Part 8) - 1984 (Reaffirmed 2012)	Agreeable
4	Turbidity	NTU	1	5	APHA (23 rd Ed.2017), Method: 2130 B	0.24
5	pH at 25°C	-	6.5 to 8.5	No relaxation	APHA (23 rd Ed.2017) Method: 4500 H ⁺ B	6.98
6	Total Dissolved Solids	mg/l	500	2000	APHA (23 rd Ed.2017) Method: 2540 C	522
7	Total Hardness(as CaCO ₃)	mg/l	200	600	APHA (23 rd Ed 2017) Method: 2340 C	332
8	Calcium (as Ca ²⁺)	mg/l	75	200	APHA (23 rd Ed 2017) Method: 3500 Ca ²⁺ B	53
9	Magnesium (as Mg ²⁺)	mg/l	30	100	APHA (23 rd Ed 2017) Method: 3500-Mg ²⁺ B	48
10	Chloride (as Cl ⁻)	mg/l	250	1000	APHA (23 rd Ed 2017) Method: 4500-Cl ⁻ B	44
11	Sulphate (as SO ₄ ²⁻)	mg/l	200	400	APHA (23 rd Ed.2017) Method: 4500-SO ₄ ²⁻ E	39.9
12	Nitrate (as NO ₃ ⁻)	mg/l	45	No relaxation	APHA (23 rd Ed.2017) Method: 4500-NO ₃ ⁻ B	6.99
13	Fluoride (as F ⁻)	mg/l	1.00	1.50	APHA (23 rd Ed.2017) Method: 4500-F ⁻ C	0.50
14	Total Alkalinity (as CaCO ₃)	mg/l	200	600	APHA (23 rd Ed.2017) Method: 2320 B	376

This Report is issued under the following terms & Condition :

1. This report is referring only to the tested sample and for applicable parameter.
2. The sample will be destroyed after retention time unless otherwise specified specially.
3. This report is not to be reproduce wholly or in part, and can't be used be as evidence in court of law.

Checked By :

Issued By:

Dy.TMg /Chemist

(J. R. Patel)
Technical Manager

Name & Designation of Authorized
Signatory

O.W.No. DLN/ 47 /of 2021, Dt. 6/07/2021.

End of the Test Report

JNV-NARMADA

OFFICE NOTE :